Multiplying and **Dividing Real Numbers**

Common Core State Standards

Prepares for N-RN.B.3 Explain why the sum or product of two rational numbers is rational; that the sum of a rational number and an irrational number is irrational . . .

MP 1, MP 3, MP 4, MP 6, MP 7

Objective To find products and quotients of real numbers



Essential Understanding The rules for multiplying real numbers are related to the properties of real numbers and the definitions of operations.

You know that the product of two positive numbers is positive. For example, 3(5) = 15. You can think about the product of a positive number and a negative number in terms of groups of numbers. For example, 3(-5) means 3 groups of -5. So, 3(-5) = (-5) + (-5) + (-5), or 3(-5) = -15.

You can also derive the product of two negative numbers, such as -3(-5).

3(-5) = -15Start with the product 3(-5) = -15. -[3(-5)] = -(-15) The opposites of two equal numbers are equal. -1[3(-5)] = -(-15)Multiplication Property of -1[-1(3)](-5) = -(-15)Associative Property of Multiplication -3(-5) = -(-15)Multiplication Property of -1 -3(-5) = 15The opposite of -15 is 15.

These discussions illustrate the following rules for multiplying real numbers.

reciprocal

Key Concept Multiplying Real Numbers

Words The product of two real numbers with *different* signs is *negative*.

Words The product of two real numbers with the

-2(-3) = 6

Examples 2(-3) = -6 $-2 \cdot 3 = -6$

same sign is positive.

Examples $2 \cdot 3 = 6$

What is each product?

e note



Problem 1 Multiplying Real Numbers

What is your first step in finding a product of real numbers? Identify the signs of the factors. Then determine the sign of the product.

12(-8) = -96	The product of two numbers	with different signs is ne	gative.
B 24(0.5) = 12	The product of two numbers with the same sign is positive.		
C $-\frac{3}{4} \cdot \frac{1}{2} = -\frac{3}{8}$	The product of two numbers	s with different signs is ne	gative.
D $(-3)^2 = (-3)(-3) = 9$	The product of two number	s with the same sign is po	sitive.
Got It? 1. What is each p a. 6(-15)	roduct? b. 12(0.2)	c. $-\frac{7}{10}\left(\frac{3}{5}\right)$	d. (-4) ²

Notice that $(-3)^2 = 9$ in part (d) of Problem 1. Recall from Lesson 1-3 that *a* is a square root of *b* if $a^2 = b$. So, -3 is a square root of 9. A negative square root is represented by $-\sqrt{}$. Every positive real number has a positive and a negative square root. The symbol \pm in front of the radical indicates both square roots.

Problem 2 Simplifying Square Root Expressions

What is the simplified form of each expression?

$$\boxed{0} - \sqrt{25} = -5$$
 $(-5)^2 = 25$, so $-\sqrt{25} = -5$.

B
$$\pm \sqrt{\frac{4}{49}} = \pm \frac{2}{7} \quad \left(\frac{2}{7}\right)^2 = \frac{4}{49} \text{ and } \left(-\frac{2}{7}\right)^2 = \frac{4}{49}, \text{ so } \pm \sqrt{\frac{4}{49}} = \pm \frac{2}{7}.$$

Got If? 2. What is the simplified form of each expression? a. $\sqrt{64}$ b. $\pm \sqrt{16}$ c. $-\sqrt{121}$

d. $\pm \sqrt{\frac{1}{36}}$

Think

How can you find a negative square root? Look for a negative number that you can multiply by itself to get a product that is equal to the radicand. **Essential Understanding** Rules for dividing real numbers are related to the rules for multiplying real numbers.

For any real numbers *a*, *b*, and *c* where $a \neq 0$, if $a \cdot b = c$, then $b = c \div a$. For instance, -8(-2) = 16, so $-2 = 16 \div (-8)$. Similarly -8(2) = -16, so $2 = -16 \div (-8)$. These examples illustrate the following rules.

ke note	Key Concept Dividing Real Numbers		
Words Examples	The quotient of two real numbers with <i>different</i> signs is <i>negative</i> . $-20 \div 5 = -4$ $20 \div (-5) = -4$		
Words Examples	The quotient of two real numbers with the <i>same</i> sign is <i>positive</i> . $20 \div 5 = 4$ $-20 \div (-5) = 4$		
Division In	volving 0		
Words	The quotient of 0 and any nonzero real number is 0. The quotient of any rea number and 0 is undefined.		
Examples	$0 \div 8 = 0$ $8 \div 0$ is undefined.		

Problem 3 Dividing Real Numbers

Sky Diving A sky diver's elevation changes by -3600 ft in 4 min after the parachute opens. What is the average change in the sky diver's elevation each minute?

 $-3600 \div 4 = -900$ The numbers have different signs, so the quotient is negative.

The sky diver's average change in elevation is -900 ft per minute.



The Inverse Property of Multiplication describes the relationship between a number and its multiplicative inverse.

rake	Property	Inverse Property of Multiplication
Nords	For every non $a(\frac{1}{a}) = 1.$	zero real number <i>a</i> , there is a multiplicative inverse $\frac{1}{a}$ such that
Examples	The multiplicative inverse of -4 is $-\frac{1}{4}$ because $-4(-\frac{1}{4}) = 1$.	

Think How is dividing

similar to multiplying? You find the sign of a quotient using the signs of the numbers you're dividing, just as you find the sign of a product using the signs of the factors. The **reciprocal** of a nonzero real number of the form $\frac{a}{b}$ is $\frac{b}{a}$. The product of a number and its reciprocal is 1, so the reciprocal of a number is its multiplicative inverse. This suggests a rule for dividing fractions.

Here's Why It Works Let a, b, c, and d be nonzero integers.



This shows that dividing by a fraction is equivalent to multiplying by the reciprocal of the fraction.

Problem 4 Dividing Fractions Multiple Choice What is the value of $\frac{x}{y}$ when $x = -\frac{3}{4}$ and $y = -\frac{2}{3}$? $\bigcirc \frac{1}{2}$ $\mathbb{D}\frac{9}{8}$ $\bigcirc A -\frac{9}{8}$ \mathbb{B} $-\frac{1}{2}$ Think Write $\frac{x}{v} = x \div y$ Rewrite the expression. Substitute $-\frac{3}{4}$ for x and $-\frac{2}{3}$ for y. $-\frac{3}{4} \div \left(-\frac{2}{3}\right)$ Multiply by the reciprocal $=-\frac{3}{4}\cdot\left(-\frac{3}{2}\right)$ of $-\frac{2}{3}$. Simplify. Since both $=\frac{9}{8}$ factors are negative, the product is positive. The correct answer is D. **Got lt?** 4. a. What is the value of $\frac{3}{4} \div \left(-\frac{5}{2}\right)$? **b. Reasoning** Is $\frac{3}{4} \div \left(-\frac{5}{2}\right)$ equivalent to $-\left(\frac{3}{4} \div \frac{5}{2}\right)$? Explain.

1



 Find each quotient. Simplify, if necessary.

 40. $20 \div \frac{1}{4}$
41. $-5 \div \left(-\frac{5}{3}\right)$
42. $\frac{9}{10} \div \left(-\frac{4}{5}\right)$
43. $-\frac{12}{13} \div \frac{12}{13}$

Find the value of the expression $\frac{x}{y}$ for the given values of x and y. Write your answer in the simplest form.

44. $x = -\frac{2}{3}; y = -\frac{1}{4}$ **45.** $x = -\frac{5}{6}; y = \frac{3}{5}$ **46.** $x = \frac{2}{7}; y = -\frac{20}{21}$ **47.** $x = \frac{3}{8}; y = \frac{3}{4}$

48. Think About a Plan A lumberjack cuts 7 pieces of equal length from a log, as shown at the right. What is the change in the log's length after 7 cuts?

What operation can you use to find the answer?

Apply

• Will your answer be a positive value or a negative value? How do you know?



50. Stocks The price per share of a stock changed by -\$4.50 on each of 5 consecutive days. If the starting price per share was \$67.50, what was the ending price?

Open-Ended Write an algebraic expression that uses x, y, and z and simplifies to the given value when x = -3, y = -2, and z = -1. The expression should involve only multiplication or division.

51. -16 **52.** 1 **53.** 12

Evaluate each expression for m = -5, $n = \frac{3}{2}$, and p = -8.

54. $-7m - 10n$	55. –3mnp		
56. $8n \div (-6p)$	57. $2p^2(-n) \div m$		

58. Look for a Pattern Extend the pattern in the diagram to six factors of −2. What rule describes the sign of the product based on the number of negative factors?

-2(-2) = 4 -2(-2)(-2) = -8 -2(-2)(-2)(-2) = 16

2 1/4 ft

59. Temperature The formula $F = \frac{9}{5}C + 32$ changes a temperature reading from the Celsius scale *C* to the Fahrenheit scale *F*. What is the temperature measured in degrees Fahrenheit when the Celsius temperature is -25° C?

- **60.** Reasoning Suppose *a* and *b* are integers. Describe what values of *a* and *b* make the statement true.
 - **a.** Quotient $\frac{a}{b}$ is positive.

b. Quotient $\frac{a}{b}$ is negative.

c. Quotient $\frac{a}{b}$ is equal to 0.

- **d.** Quotient $\frac{a}{b}$ is undefined.
- **61. Writing** Explain how to find the quotient of $-1\frac{2}{3}$ and $-2\frac{1}{2}$.
- 62. Reasoning Do you think a negative number raised to an even power will be positive or negative? Explain.
 - **63. History** The Rhind Papyrus is one of the best-known examples of Egyptian mathematics. One problem solved on the Rhind Papyrus is $100 \div 7\frac{7}{8}$. What is the solution of this problem?



PowerAlgebra.com

64. Error Analysis Describe and correct the error in dividing the fractions at the right.

65. Reasoning You can derive the rule for division involving 0 shown on page 40.

- **a.** Suppose $0 \div x = y$, where $x \neq 0$. Show that y = 0. (*Hint*: If $0 \div x = y$, then $x \cdot y = 0$ by the definition of division.)
- **b.** If $x \neq 0$, show that there is no value of *y* such that $x \div 0 = y$. (*Hint*: Suppose there is a value of *y* such that $x \div 0 = y$. What would this imply about *x*?)

Determine whether each statement is *always, sometimes,* or *never* true. Explain your reasoning.

66. The product of a number and its reciprocal is -1.

67. The quotient of a nonzero number and its opposite is -1.

- 68. If the product of two fractions is negative, then their quotient is positive.
- **69. Reasoning** What is the greatest integer *n* for which $(-n)^3$ is positive and the value of the expression has a 2 in the ones place?

Standardized Test Prep

SAT/ACT

Challenge

70. Which expression does NOT have the same value as -11 + (-11) + (-11)? $(-11)^3$ **D** 33 - 66 A) -33 **B** 3(-11)71. Miguel measured the area of a piece of carpet and figured out that the approximate error was 3|-0.2|. What is the decimal form of 3|-0.2|? **D** 0.6 (F) -0.6 G -0.06 (H) 0.06 72. What is the perimeter of the triangle shown? \bigcirc 15y + 15 (A) 6y + 24**B** 21y + 9**D** 30y

Mixed Review

 Find each difference.
 See Lesson 1-5.

 73. 46 - 16
 74. 34 - 44
 75. -37 - (-27)

 Get Ready!
 To prepare for Lesson 1-7, do Exercises 76-78.
 See Lesson 1-4.

 Name the property that each statement illustrates.
 See Lesson 1-4.

76.
$$-x + 0 = -x$$
 77. $13(-11) = -11(13)$ **78.** $-5 \cdot (m \cdot 8) = (-5)$



 $\cdot m) \cdot 8$